

FORM PTO-1449
(Modified)U.S. Department of Commerce
Patent and Trademark Office

Attorney Docket No.: NIH-05098

Serial No.: 09/935,916

INFORMATION DISCLOSURE STATEMENT BY APPLICANT
(Use Several Sheets If Necessary)Applicant: Constantine Stratakis *et al.*

(37 CFR § 1.98(b))

Filing Date: 08/23/01

Group Art Unit:

U.S. PATENT DOCUMENTS

| Examiner Initials | Cite No. | Serial / Patent Number | Issue Date | Applicant / Patentee | Class | Subclass | Filing Date |
|-------------------|----------|------------------------|------------|----------------------|-------|----------|-------------|
| ✓ | 1 | 5,652,096 | 7/29/97 | Cimino | | | |
| | 2 | 4,683,195 | 7/28/87 | Mullis <i>et al.</i> | | | |
| | 3 | 4,683,202 | 7/28/87 | Mullis | | | |
| | 4 | 4,965,188 | 10/23/90 | Mullis <i>et al.</i> | | | |
| ✓ | 5 | 5,322,770 | 6/21/94 | Gelfand | | | |
| | 6 | 4,873,191 | 10/10/89 | Wagner <i>et al.</i> | | | |

FOREIGN PATENTS OR PUBLISHED FOREIGN PATENT APPLICATIONS

| | Document Number | Publication Date | Country / Patent Office | Class | Subclass | Translation | |
|---|-----------------|------------------|-------------------------|-------|----------|-------------|----|
| | | | | | | Yes | No |
| ✓ | 7 | WO90/08832 | 8/9/90 | PCT | | | |

OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)

| | | |
|---|----|---|
| ✓ | 8 | Carney and Young (1992) "Primary Pigmented Nodular Adrenocortical Disease and its Associated Conditions," Endocrinologist 2:6-21 |
| | 9 | Carney (1995) "Carney Complex: The Complex of Myxomas, Spotty Pigmentation, Endocrine Overactivity, and Schwannomas," Semin. Dermatol. 14:90-98 |
| | 10 | Stratakis <i>et al.</i> (1998) "Carney Complex: Diagnosis and Management of the Complex of Spotty Skin Pigmentation, Myxomas, Endocrine Overactivity, and Schwannomas," Am. J. Med. Genet., 80:183-185 (1998) |
| | 11 | Carney <i>et al.</i> (1985) "Dominant Inheritance of the Complex of Myxomas, Spotty Pigmentation, and Endocrine Overactivity," Mayo Clin. Proc., 61:165-172 |
| | 12 | Stratakis (2000) "Genetics of Carney Complex and Related Familial Lentiginoses, and Other Multiple Tumor Syndromes," Frontiers in Biosci. 5:D353-366 |
| | 13 | Atherton <i>et al.</i> (1980) "A syndrome of various cutaneous pigmented lesions, myxoid neurofibromata and atrial myxoma: the NAME syndrome," Brit. J. Dermatol. 103:421-429 |
| | 14 | Rhodes <i>et al.</i> (1984) "Mucocutaneous lentiginos, cardiocutaneous myxomas, and multiple blue nevi: The 'LAMB' syndrome," J. Am. Acad. Dermatol. 10:72-82 |
| | 15 | Stratakis (2000) "Genetics of Carney Complex and Related Familial Lentiginoses, and Other Multiple Tumor Syndromes," Pediatr. Pathol. Mol. Med. 19:41-68 |
| | 16 | Young <i>et al.</i> (1989) "Familial Cushing's Syndrome Due to Primary Pigmented Nodular Adrenocortical Disease," N. Eng. J. Med. 321:1659-1664 |
| | 17 | Berkhout <i>et al.</i> (1989) "Familial Cushing's Syndrome Due to Nodular Adrenocortical Dysplasia is an Inherited Disease of Immunological Origin," Clin. Endocrinol. 31:185-191 (1989) |
| | 18 | Stratakis <i>et al.</i> (1996) "Carney Complex, a Familial Multiple Neoplasia and Lentiginosis Syndrome," J. Clin. Invest. 97:699-705 |
| | 19 | Casey <i>et al.</i> (1998) "Identification of a Novel Genetic Locus for Familial Cardiac Myxomas and Carney Complex," Circul. 98:2560-2566 |
| | 20 | Stratakis <i>et al.</i> (1999) "Paradoxical Response to Dexamethasone in the Diagnosis of Primary Pigmented Nodular Adrenocortical Disease," Ann. Intern. Med. 131:585-591 |
| ✓ | 21 | Weinstein <i>et al.</i> (1991) "Activating Mutations of the Stimulatory G Protein in the McCune-Albright Syndrome," N. Eng. J. Med. 325:1688-1693 |
| | 22 | Scott (1991) "Cyclic Nucleotide-Dependent Protein Kinases," Pharmac. Ther. 50:123-145 |
| ✓ | 23 | Basson <i>et al.</i> (1997) "Genetic Heterogeneity of Familial Atrial Myxoma Syndromes (Carney Complex)," Am. J. Cardiol. 79: 994-995 |

Examiner:


Date Considered:

1/26/07

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

TECH CENTER 1800/2900

JUL 23 2002

| | | | | | | | |
|---|---|--|--|--|--|------------------------|--|
| FORM PTO-1449 (Modified) | | U.S. Department of Commerce Patent and Trademark Office | | Attorney Docket No.: NIH-05098 | | Serial No.: 09/935,916 | |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Separate Sheets If Necessary) (37 CFR § 1.98(b)) | | | | Applicant: Constantine Stratakis <i>et al.</i> | | | |
| | | | | Filing Date: 08/23/01 | | Group Art Unit: | |
| OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) | | | | | | | |
| 24 | Taymans <i>et al.</i> (1997) "A refined genetic, radiation hybrid and physical map of the Carney complex (CNC) locus on chromosome 2p16; evidence for genetic heterogeneity in the syndrome," <i>Am. J. Hum. Genet.</i> 61:A84 (Suppl) | | | | | | |
| 25 | Liebler <i>et al.</i> (1976) "Familial myxomas in four siblings," <i>J. Thorac. Cardiovasc. Surg.</i> 71:605-608 | | | | | | |
| 26 | Tautz (1989) "Hypervariability of simple sequences as a general source for polymorphic DNA markers," <i>Nucl. Acids Res.</i> 17:6463-6471 | | | | | | |
| 27 | Sun <i>et al.</i> (1998) "A mutated human homologue to yeast Upf1 protein has a dominant-negative effect on the decay of nonsensecontaining mRNAs in mammalian cells," <i>Proc. Natl. Acad. Sci. USA</i> 95:10009-10014 | | | | | | |
| 28 | Culbertson (1999) "RNA surveillance, unforeseen consequences for gene expression, inherited genetic disorders and cancer," <i>Trends Genet.</i> , 15:74-80 | | | | | | |
| 29 | Maquat (1995) "When cells stop making sense: Effects of nonsense codons on RNA metabolism in vertebrate cells," <i>RNA</i> 1:453-465 | | | | | | |
| 30 | Schwarze <i>et al.</i> (2000) "Null Alleles of the <i>COL5A1</i> Gene of Type V Collagen Are a Cause of the Classical Forms of Ehlers-Danlos Syndrome (Types I and II)," <i>Am. J. Hum. Genet.</i> 66:1757-1765 | | | | | | |
| 31 | Freddi <i>et al.</i> (2000) "Molecular Diagnosis of Stickler Syndrome: A <i>COL2A1</i> Stop Codon Mutation Screening Strategy That Is Not Compromised by Mutant mRNA Instability," <i>Am. J. Med. Genet.</i> 90:398-406 | | | | | | |
| 32 | Kozak (1991) "Structural Features in Eukaryotic mRNAs That Modulate the Initiation of Translation," <i>J. Biol. Chem.</i> 266:19867-19870 | | | | | | |
| 33 | DeMarco <i>et al.</i> (1996) "Sporadic cardiac myxomas and tumors from patients with Carney complex are not associated with activating mutations of the <i>Gsa</i> Gene," <i>Hum. Genet.</i> 98:185-188 | | | | | | |
| 34 | Cummings <i>et al.</i> (1996) "Genetically lean mice result from targeted disruption of the <i>RIIβ</i> subunit of protein kinase A," <i>Nature</i> 382:622-626 | | | | | | |
| 35 | Amicux <i>et al.</i> (1997) "Compensatory Regulation of <i>RIα</i> Protein Levels in Protein Kinase A Mutant Mice," <i>J. Biol. Chem.</i> 272:3993-3998 | | | | | | |
| 36 | Cho <i>et al.</i> (2000) "Extracellular protein kinase A as a cancer biomarker: Its expression by tumor cells and reversal by a myristate-lacking <i>Cα</i> and <i>RIIβ</i> subunit overexpression," <i>Proc. Natl. Acad. Sci. USA</i> 97:837-840 | | | | | | |
| 37 | Beebe <i>et al.</i> (1984) "Two Classes of cAMP Analogs Which Are Selective for the Two Different cAMP-binding Sites of Type II Protein Kinase Demonstrate Synergism When Added Together to Intact Adipocytes," <i>J. Biol. Chem.</i> 259:3539-3547 | | | | | | |
| 38 | Gossen and Bujard (1992) "Tight control of gene expression in mammalian cells by tetracycline-responsive promoters," <i>Proc. Natl. Acad. Sci. USA</i> 89:5547-5551 | | | | | | |
| 39 | Kistner <i>et al.</i> (1996) "Doxycycline-mediated quantitative and tissue-specific control of gene expression in transgenic mice," <i>Proc. Natl. Acad. Sci. USA</i> 93:10933-10938 | | | | | | |
| 40 | Tarutani <i>et al.</i> (1997) "Tissue-specific knockout of the mouse <i>Pig-α</i> gene reveals important roles for GPI-anchored proteins in skin development," <i>Proc. Natl. Acad. Sci. USA</i> 94:7400-7405 | | | | | | |
| 41 | Mazzaferrri (1993) "Management of a Solitary Thyroid Nodule," <i>N. Eng. J. Med.</i> 328:553-559 | | | | | | |
| 42 | Sarlis (2000) "Expression Patterns of Cellular Growth-Controlling Genes in Non-Medullary Thyroid Cancer: Basic Aspects," <i>Rev. Endocrinol. Metab. Dis.</i> 1:183-196 | | | | | | |
| 43 | Eng (2000) "Editorial: Familial Papillary Thyroid Cancer - Many Syndromes, Too Many Genes," <i>J. Clin. Endocrinol. Metab.</i> 85:1755-1757 | | | | | | |
| 44 | Farid <i>et al.</i> (2000) "Genetics of Follicular Thyroid Cancer," <i>Endocrinol. Metab. Clin. N. Amer.</i> 24:865-883 | | | | | | |
| 45 | Fagin (1997) "Editorial: Familial Nonmedullary Thyroid Carcinoma - the Case for Genetic Susceptibility," <i>J. Clin. Endocrinol. Metab.</i> 82:342-344 | | | | | | |
| 46 | Stratakis <i>et al.</i> (1997) "Thyroid Gland Abnormalities in Patients with the Syndrome of Spotty-Skin Pigmentation, Myxomas, Endocrine Overactivity, and Schwannomas (Carney Complex)," <i>J. Clin. Endocrinol. Metab.</i> 82:2037-2043 | | | | | | |
| 47 | Ain (1995) "Papillary Thyroid Carcinoma," <i>Endocrinol. Metab. Clin. N. Amer.</i> 24:711-760 | | | | | | |
| 48 | Bier <i>et al.</i> (1989) "Multiple Cutaneous Myxomas Coinciding with Repeated Cardiac Myxomas. A syndrome," <i>Thorac. Cardiovasc. Surg.</i> 37:317-319 | | | | | | |
| Examiner:  | | | | Date Considered: 1/24/07 | | | |
| EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | | | |

| | | | | |
|---|---|--|--|------------------------|
| FORM PTO-1449 (Modified) | | U.S. Department of Commerce Patent and Trademark Office | Attorney Docket No.: NIH-05098 | Serial No.: 09/935,916 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Additional Sheets If Necessary) | | | Applicant: Constantine Stratakis <i>et al.</i> | |
| (37 CFR § 1.98(b)) | | | Filing Date: 08/23/01 | Group Art Unit: |
| OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) | | | | |
| 49 | Radin and Kempf (1995) "Carney Complex: Report of Three Cases," Radiol. 196:383-386 | | | |
| 50 | Kinzler and Vogelstein (1996) "Lessons from Hereditary Colorectal Cancer," Cell 87:159-170 | | | |
| 51 | Bosman (1999) "The Hamartoma-Adenoma-Carcinoma Sequence," J. Pathol. 188:1-2 | | | |
| 52 | Parma <i>et al.</i> (1993) "Somatic mutations in the thyrotropin receptor gene cause hyperfunctioning thyroid adenomas," Nature 365:649-651 | | | |
| 53 | Fuhrer <i>et al.</i> (1997) "Somatic Mutations in the Thyrotropin Receptor Gene and Not in the G _s α Protein Gene in 31 Toxic Thyroid Nodules," J. Clin. Endocrinol. Metab. 82:3885-3891 | | | |
| 54 | Esapa <i>et al.</i> (1997) "G Protein and Thyrotropin Receptor Mutations in Thyroid Neoplasia," J. Clin. Endocrinol. Metab. 82:493-496 | | | |
| 55 | Russo <i>et al.</i> (1995) "Activating mutations of the TSH receptor in differentiated thyroid carcinomas," Oncogene 11:1907-1911 | | | |
| 56 | Pack <i>et al.</i> (2000) "Genetic and Histologic studies of Somatomammotropic Pituitary Tumors in Patients with the 'Complex of Spotty Skin Pigmentation, Myxomas, Endocrine Overactivity and Schwannomas,' (Carney Complex)," J. Clin. Endocrinol. Metab. 85:3860-3865 | | | |
| 57 | Bonat <i>et al.</i> (2000) "Papillary Thyroid Carcinoma (PTC) in a Child with McCune-Albright Syndrome (MAS): More than a Random Association," Proc. 82nd Ann. Meet. Endocrine Soc., Toronto, Canada, Abstract #P2-2099 | | | |
| 58 | Fournes <i>et al.</i> (1998) "Oncogenic potential of a mutant human thyrotropin receptor expressed in FRTL-5 cells," Oncogene 16:985-990 | | | |
| 59 | Du Villard <i>et al.</i> (2000) "Role of the cAMP and MAPK pathways in the transformation of mouse 3T3 fibroblasts by a TSHR gene constitutively activated by point mutation," Oncogene 19:4896-4905 | | | |
| 60 | Michiels <i>et al.</i> (1994) "Oncogenic potential of guanine nucleotide stimulatory factor α subunit in thyroid glands of transgenic mice," Proc. Natl. Acad. Sci. USA 91:10488-10492 | | | |
| 61 | Coppee <i>et al.</i> (1996) "Early occurrence of metastatic differentiated thyroid carcinomas in transgenic mice expressing the A2a adenosine receptor gene and the human papillomavirus type 16 E7 oncogene," Oncogene 13:1471-1482 | | | |
| 62 | Ledent <i>et al.</i> (1997) "Costimulation of Adenyl Cyclase and Phospholipase C by a Mutant α_{1B} -Adrenergic Receptor Transgene Promotes Malignant Transformation of Thyroid Follicular Cells," Endocrinol. 138:369-378 | | | |
| 63 | Elisei <i>et al.</i> (1998) "Genetic and Epigenetic Alterations of the Cyclin-Dependent Kinase Inhibitors p15 ^{INK4a} and p16 ^{INK4a} in Human Thyroid Carcinoma Cell Lines and Primary Thyroid Carcinomas," Cancer 83:2185-2193 | | | |
| 64 | Grieco <i>et al.</i> (1990) "PTC is a Novel Rearranged Form of the <i>ret</i> Proto-Oncogene and is Frequently Detected In Vivo in Human Thyroid Papillary Carcinomas," Cell 60:557-563 | | | |
| 65 | Sozzi <i>et al.</i> (1994) "A t(10;17) Translocation Creates the <i>REP/PTC2</i> Chimeric Transforming Sequence in Papillary Thyroid Carcinoma," Genes, Chromosomes & Canc. 9:244-250 | | | |
| 66 | Lanzi <i>et al.</i> (1992) "Identification of the product of two oncogenic rearranged forms of the <i>RET</i> proto-oncogene in papillary thyroid carcinomas," Oncogene 7:2189-2194 | | | |
| 67 | Bongarzone <i>et al.</i> (1993) "Molecular Characterization of a Thyroid Tumor-Specific Transforming Sequence Formed by the Fusion of <i>ret</i> Tyrosine Kinase and the Regulatory Subunit R1 α of Cyclic AMP-Dependent Protein Kinase A," Mol. Cell Biol. 13:358-366 | | | |
| 68 | Kroll <i>et al.</i> (2000) "PAX8-PPARY1 Fusion in Oncogene Human Thyroid Carcinoma," Science 289:1357-1360 | | | |
| 69 | Ward <i>et al.</i> (1998) "Studies of Allelic Loss in Thyroid Tumors Reveal Major Differences in Chromosomal Instability between Papillary and Follicular Carcinomas," J. Clin. Endocrinol. Metab. 83:525-530 | | | |
| 70 | Kitamura <i>et al.</i> (2000) "Allelotyping of Anaplastic Thyroid Carcinoma: Frequent Allelic Losses on 1q, 9p, 11, 17, 19p, and 22q," Genes, Chromosomes & Canc. 27:244-251 | | | |
| 71 | Gimun <i>et al.</i> (2001) "Somatic Mutation and Germline Variants of <i>MINPP1</i> , a Phosphatase Gene Located in Proximity to <i>PTEN</i> on 10q23.3, in Follicular Thyroid Carcinomas," J. Clin. Endocrinol. Metab. 86:1801-1805 | | | |
| 72 | Zedenius <i>et al.</i> (1996) "Deletions of the long arm of chromosome 10 in progression of follicular thyroid tumors," Hum. Genet. 97:299-303 | | | |
| 73 | Halachmi <i>et al.</i> (1998) "Somatic Mutations of the <i>PTEN</i> Tumor Suppressor Gene in Sporadic Follicular Thyroid Tumors," Genes, Chromosomes & Canc. 23:239-243 | | | |
| 74 | Zhou <i>et al.</i> (2000) "Epigenetic PTEN Silencing in Malignant Melanomas without <i>PTEN</i> Mutation," Am. J. Pathol. 157:1123-1128 | | | |
| Examiner: | | Date Considered: 11/26/01 | | |
| EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | |

FORM PTO-1449
(Modified)U.S. Department of Commerce
Patent and Trademark Office

Attorney Docket No.: NIH-05098

Serial No.: 09/935,916

INFORMATION DISCLOSURE STATEMENT BY APPLICANT
(Use Several Sheets If Necessary)Applicant: Constantine Stratakis *et al.*

Filing Date: 08/23/01

Group Art Unit:

(37 CFR § 1.98(b))

OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)


- | | |
|-----|--|
| 75 | Deloukas <i>et al.</i> (1998) "A Physical Map of 30,000 Human Genes," <i>Science</i> 282:744-746 |
| 76 | Yen (2000) "Thyrotropin Receptor Mutations in Thyroid Diseases," <i>Rev. Endocrinol. Metab. Dis.</i> 1:123-129 |
| 77 | van der Laan <i>et al.</i> (1995) "Expression of Growth Factors and Growth Factor Receptors in Normal and Tumorous Human Thyroid Tissues," <i>Thyroid</i> 5:67-73 |
| 78 | Cetta <i>et al.</i> (2000) "Germline Mutations of the APC Gene in Patients with Familial Adenomatous Polyposis-Associated Thyroid Carcinoma: Results from a European Cooperative Study," <i>J. Clin. Endocrinol. Metab.</i> 85:286-292; |
| 79 | Ho <i>et al.</i> (1996) "p53 gene mutation in thyroid carcinoma," <i>Canc. Lett.</i> 103:57-63 |
| 80 | Belfiore <i>et al.</i> (1999) "Insulin/IGF-I hybrid receptors play a major role in IGF-I signaling in thyroid cancer," <i>Biochimie</i> 81:403-407 |
| 81 | Kimura <i>et al.</i> (1999) "Expression of Transforming Growth Factor β_1 , β_2 , and β_3 in Multinodular Goiters and Differentiated Thyroid Carcinomas: A Comparative Study," <i>Thyroid</i> 9:119-125 |
| 82 | Delgado and Ganea (2001) "Vasoactive Intestinal peptide and Pituitary Adenylate Cyclase-Activating Polypeptide Inhibit Expression of Fas Ligand in Activated T Lymphocytes by Regulating c-Myc, NF- κ B, NF-AT, and Early Growth Factors 2/3," <i>J. Immunol.</i> 166:1028-1040 |
| 83 | Ramstad <i>et al.</i> (2000) "cAMP-dependent protein kinase (PKA) inhibits T cell activation by phosphorylating Ser-43 of Raf-1 in the MAPK/ERK pathway," <i>Cell Signal.</i> 12:557-563 |
| 84 | Villone <i>et al.</i> (2000) "Association between the expression of E1A oncogene and increased sensitivity to growth inhibition induced by sustained levels of cAMP in rat thyroid cells," <i>Eur. J. Endocrinol.</i> 142:286-293 |
| 85 | Richards (2001) "New Signaling Pathways for Hormones and Cyclic Adenosine 3',5'-Monophosphate Action in Endocrine Cells," <i>Mol. Endocrinol.</i> 15:209-218 |
| 86 | Knudson (2000) "Chasing the Cancer Demon," <i>Ann. Rev. Genet.</i> 34:1-19 |
| 87 | Maniatis <i>et al.</i> (1987) "Regulation of Inducible and Tissue-Specific Gene Expression," <i>Science</i> 236:1237 |
| 88 | Voss <i>et al.</i> (1986) "The Role of Enhancers in the Regulation of Cell-Type Specific Transcriptional Control," <i>Trends Biochem. Sci.</i> 11:287 |
| 89 | Dijkema <i>et al.</i> (1985) "Cloning and Expression of the Chromosomal Immune Interferon Gene of the Rat," <i>EMBO J.</i> 4:761 |
| 90 | Uetsuki <i>et al.</i> (1989) "Isolation and Characterization of the Human Chromosomal Gene for Polypeptide Chain Elongation Factor-1 α ," <i>J. Biol. Chem.</i> 264:5791 |
| 91 | Kim <i>et al.</i> (1990) "Use of the human elongation factor 1 α promoter as a versatile and efficient expression system," <i>Gene</i> 91:217 |
| 92 | Mizushima and Nagata (1990) "pEF-BOS, a powerful mammalian expression vector," <i>Nuc. Acids. Res.</i> 18:5322 |
| 93 | Gorman <i>et al.</i> (1982) "The Rous sarcoma virus long terminal repeat is a strong promoter when introduced into a variety of eukaryotic cells by DNA-mediated transfection," <i>Proc. Natl. Acad. Sci. USA</i> 79:6777 |
| 94 | Boshart <i>et al.</i> (1985) "A Very Strong Enhancer is Located Upstream of an Immediate Early Gene of Human Cytomegalovirus," <i>Cell</i> 41:521 |
| 95 | Sambrook <i>et al.</i> , <i>Molecular Cloning: A Laboratory Manual</i> , 2nd ed., Cold Spring Harbor Laboratory Press, New York (1989), pp. 16.7-16.8 |
| 96 | Smith and Waterman (1981) "Comparison of Biosequences," <i>Adv. Appl. Math.</i> 2:482 |
| 97 | Needleman and Wunsch (1970) "A General Method Applicable to the Search for Similarities in the Amino Acid Sequence of Two Proteins," <i>J. Mol. Biol.</i> 48:443 |
| 98 | Pearson and Lipman (1988) "Improved tools for biological sequence comparison," <i>Proc. Natl. Acad. Sci. USA</i> 85:2444 |
| 99 | Anderson and Young, <i>Quantitative Filter Hybridization, in Nucleic Acid Hybridization</i> (1985) |
| 100 | Kacian <i>et al.</i> (1972) "A Replicating RNA Molecule Suitable for a Detailed Analysis of Extracellular Evolution and Replication," <i>Proc. Natl. Acad. Sci. USA</i> 69:2038 |

Examiner:

Date Considered:

EXAMINER:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.




TECH CENTER 1600/2800
JUL 25 2002
Sheet 3 of 6

| | | | | |
|---|--|--|--|------------------------|
| FORM PTO-1449 (Modified) | | U.S. Department of Commerce Patent and Trademark Office | Attorney Docket No.: NIH-05098 | Serial No.: 09/935,916 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) | | | Applicant: Constantine Stratakis <i>et al.</i> | |
| | | | Filing Date: 08/23/01 | Group Art Unit: |
| (37 CFR § 1.98(b)) | | | | |
| 101 | Chamberlin <i>et al.</i> (1970) "New RNA Polymerase from <i>Escherichia coli</i> infected with Bacteriophage T7," <i>Nature</i> 228:227 | | | |
| 102 | Wu and Wallace (1989) "The Ligation Amplification Reaction (LAR) - Amplification of Specific DNA Sequences Using Sequential Rounds of Template-Dependent Ligation," <i>Genomics</i> 4:560 | | | |
| 103 | Erlich (ed.), <i>PCR Technology</i> , Stockton Press (1989) | | | |
| 104 | Sambrook <i>et al.</i> , <i>Molecular Cloning: A Laboratory Manual</i> , Cold Spring Harbor Press, NY, pp 9.31-9.58 (1989) | | | |
| 105 | Sambrook, J. <i>et al.</i> , <i>Molecular Cloning: A Laboratory Manual</i> , Cold Spring Harbor Press, NY, pp 7.39-7.52 (1989) | | | |
| 106 | Brinster <i>et al.</i> (1985) "Factors affecting the efficiency of introducing foreign DNA into mice by microinjecting eggs," <i>Proc. Natl. Acad. Sci. USA</i> 82:4438-4442 | | | |
| 107 | Hogan <i>et al.</i> , in <i>Manipulating the Mouse Embryo</i> , Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y. (1986) | | | |
| 108 | Jahner <i>et al.</i> (1985) "Insertion of the bacterial <i>gpt</i> gene into the germ line of mice by retroviral infection," <i>Proc. Natl. Acad. Sci. USA</i> 82:6927-693 | | | |
| 109 | Stewart <i>et al.</i> (1987) "Expression of retroviral vectors in transgenic mice obtained by embryo infection," <i>EMBO J.</i> 6:383-388 | | | |
| 110 | Jahner <i>et al.</i> (1982) "De novo methylation and expression of retroviral genomes during mouse embryogenesis," <i>Nature</i> 298:623-628 | | | |
| 111 | Haskell and Bowen (1995) "Efficient Production of Transgenic Cattle by Retroviral Infection of Early Embryos," <i>Mol. Reprod. Dev.</i> 40:386 | | | |
| 112 | Evans <i>et al.</i> (1981) "Establishment in culture of pluripotential cells from mouse embryos," <i>Nature</i> 292:154-156 | | | |
| 113 | Bradley <i>et al.</i> (1984) "Formation of germ-line chimaeras from embryo-derived teratocarcinoma cells lines," <i>Nature</i> 309:255-258 | | | |
| 114 | Gossler <i>et al.</i> (1986) "Transgenesis by means of blastocyst-derived embryonic stem cell lines," <i>Proc. Acad. Sci. USA</i> 83:9065-9069 | | | |
| 115 | Robertson <i>et al.</i> (1986) "Germ-line transmission of genes introduced into cultured pluripotential cells by retroviral vector," <i>Nature</i> 322:445-448 | | | |
| 116 | Jaenisch (1988) "Transgenic Animals," <i>Science</i> 240:1468-1474 | | | |
| 117 | Graham and van der Eb (1973) "A New Technique for the Assay of Infectivity of Human Adenovirus 5 DNA," <i>Virol.</i> 52:456 | | | |
| 118 | Sambrook, J. <i>et al.</i> , <i>Molecular Cloning: A Laboratory Manual</i> , 2nd ed., Cold Spring Harbor Laboratory Press, New York (1989) pp.16.9-16.15 | | | |
| 119 | Danoff <i>et al.</i> (1987) "Adrenocortical Micronodular Dysplasia, Cardiac Myxomas, Lentigines, and Spindle Cell Tumors," <i>Arch. Intern. Med.</i> 147:443-448 | | | |
| 120 | Stratakis <i>et al.</i> (1999) "Genetic Heterogeneity in Carney Complex (OMIM 160980): Contributions of loci at chromosomes 2 and 17 in its genetics," <i>Am. J. Hum. Genet.</i> 65:A447 | | | |
| 121 | Stratakis <i>et al.</i> (1996) "Cytogenetic and Microsatellite Alterations in Tumors from Patients with the Syndrome of Myxomas, Spotty Skin Pigmentation, and Endocrine Overactivity (Carney Complex)," <i>J. Clin. Endocrinol. Metab.</i> 81:3607-3614 | | | |
| 122 | Stratakis <i>et al.</i> (1998) "Carney Complex, Peutz-Jeghers Syndrome, Cowden Disease, and Bannayan-Zonana Syndrome Share Cutaneous and Endocrine Manifestations, But Not Genetic Loci," <i>J. Clin. Endocrinol. Metab.</i> , 83:2972-2976 | | | |
| 123 | Solberg <i>et al.</i> (1997) "The Human Gene for the Regulatory Subunit R1α of Cyclic Adenosine 3',5'-Monophosphate-Dependent Protein Kinase: Two Distinct Promoters Provide Differential Regulation of Alternately Spliced Messenger Ribonucleic Acids," <i>Endocrinol.</i> 138:169-181 | | | |
| 124 | Taymans <i>et al.</i> (1999) "Radiation Hybrid Mapping of Chromosomal Region 2p15-p16: Integration of Expressed and Polymorphic Sequence Maps at the Carney Complex (CNC) and Doyme Honeycomb Retinal Dystrophy (DHRD) Loci," <i>Genomics</i> 56:344-349 | | | |
| 125 | Gyapay <i>et al.</i> (1996) "A radiation hybrid map of the human genome," <i>Hum. Mol. Genet.</i> 5:339-346 | | | |
| 126 | Lathrop <i>et al.</i> (1984) "Strategies for multilocus linkage analysis in humans," <i>Proc. Natl. Acad. Sci. USA</i> 81:3443-3446 | | | |
| 127 | Sandberg <i>et al.</i> (1987) "Molecular Cloning, cDNA Structure and Deduced Amino Acid Sequence for a Type I Regulatory Subunit of cAMP-Dependent Protein Kinase from Human Testis," <i>Biochem. Biophys. Res. Commun.</i> 149:939-945 | | | |
| 128 | Breathnach and Chambon (1981) "Organization and Expression of Eucaryotic Split Genes Coding for Proteins," <i>Ann. Rev. Biochem.</i> 50:349-383 | | | |
| Examiner: | | | Date Considered: 1/26/07 | |
| EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | |

TECH CENTER 1800/2800

JUL 25 2002



| | | | | | |
|---|---|--|--------------------------|--|------------------------|
| FORM PTO-1449 (Modified) | | U.S. Department of Commerce Patent and Trademark Office | | Attorney Docket No.: NIH-05098 | Serial No.: 09/935,916 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) | | | | Applicant: Constantine Stratakis <i>et al.</i> | |
| | | | | Filing Date: 08/23/01 | Group Art Unit: |
| (37 CFR § 1.98(b)) | | | | | |
| 129 | Kirschner <i>et al.</i> (1999) "Genomic Mapping of chromosomal Region 2p15-p21 (D2S378-D2S391): Integration of Genemap'98 within Framework of Yeast and Bacterial Artificial Chromosomes," Genomics 62:21-33 | | | | |
| 130 | O'Donovan <i>et al.</i> (1998) "Blind Analysis of Denaturing High-Performance Liquid Chromatography as a Tool for Mutation Detection," Genomics 52:44-49 | | | | |
| 131 | Jones <i>et al.</i> (1999) "Optimal Temperature Selection for Mutation Detection by Denaturing HPLC and Comparison to Single-Stranded Conformation Polymorphism and Heteroduplex Analysis," Clin. Chem., 45:1133-1140 | | | | |
| 132 | Kuo <i>et al.</i> (1970) "Cyclic Nucleotide-Dependent Protein Kinases," Biochem. Biophys. Acta 212:79-91 | | | | |
| 133 | Kirschner <i>et al.</i> (2000) "Genetic heterogeneity and spectrum of mutations of the PRKARIA gene in patients with the Carney complex," Hum. Mol. Genetics 9:3037-3046 | | | | |
| 134 | Kirschner <i>et al.</i> (2000) "Mutations of the gene encoding the protein kinase A type I- α regulatory subunit in patients with the Carney complex," Nat. Genet. 26:89-92 | | | | |
| 135 | Tarutani <i>et al.</i> (1997) "Tissue-specific knockout of the mouse <i>Pig-a</i> gene reveals important roles for GPI-anchored proteins in skin development," Natl. Acad. Sci. USA 94:7400-7405 | | | | |
| 136 | Cho-Chung <i>et al.</i> (1999) "Antisense DNA-Targeting Protein Kinase A-RIA Subunit: A Novel Approach to Cancer Treatment," Frontiers in Biosci. 4:d898-907 | | | | |
| Examiner: | | | Date Considered: 1/26/04 | | |
| EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | |